



LEGEND:

	BREAK OUT AND EXCAVATE EXISTING FOOTWAY / ISLAND FOR CONSTRUCTION OF NEW CARRIAGEWAY (UP TO A DEPTH OF 460mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED ISLAND / BUILD OUT, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE ISLANDS (UP TO A DEPTH OF 500mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW TACTILE PAVING (UP TO A DEPTH OF 100mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE PAVING SLABS, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)



ORDNANCE SURVEY IRELAND LICENCE NO AR0064220
©ORDNANCE SURVEY IRELAND / GOVERNMENT OF IRELAND



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

AECOM

PROJECT
Fitzwilliam Cycle Route

CLIENT
Comhairle Cathrach
Bhaile Átha Cliath
Dublin City Council

NTA
Údarás Náisiúnta Iompair
National Transport Authority

Project Ireland 2040
Building Ireland's Future

CONSULTANT
AECOM
Adelphi Plaza
George's Street Upper
Dun Laoghaire Co.Dublin
Tel:+353(0)1 2383100 Fax:+353(0)1 2383199
www.aecom.com

- NOTES:**
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS. ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
 2. ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 3. EMPLOYER'S REPRESENTATIVE TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
 4. DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 5. ALL MEASUREMENTS AND COORDINATES TO BE CHECKED ON SITE.
 6. REFER TO SPECIFICATION APPENDICES 6/1, 6/2, 6/3, 6/5, AND 6/7 FOR DETAILS.
 7. DUE TO THE PRESENCE OF EXISTING SERVICES AND CELLARS, THE CONTRACTOR WILL BE REQUIRED TO EXCAVATE BY HAND-DIGGING.

ISSUE/REVISION

NO.	DATE	DESCRIPTION
A	JUNE 2022	ISSUED FOR TENDER
I/R	DATE	DESCRIPTION

KEY PLAN

PROJECT NUMBER
60578028


SHEET TITLE
EARTHWORKS
SHEET 1 OF 6

SHEET NUMBER
60578028_DD_SHT-600.1

IMPORTANT
SAFETY, HEALTH & ENVIRONMENTAL
INFORMATION


HAZARD WARNING
PRESENCE OF BASEMENTS / CELLARS ON FITZWILLIAM PLACE / FITZWILLIAM SQUARE EAST / FITZWILLIAM STREET UPPER. RISK OF PENETRATING BASEMENT CEILING DURING TRENCH EXCAVATION WORKS TO LAY TRAFFIC DUCTING.

THIS IS NOT A COMPLETE LIST OF HAZARDS



LEGEND:

- BREAK OUT AND EXCAVATE EXISTING FOOTWAY / ISLAND FOR CONSTRUCTION OF NEW CARRIAGEWAY (UP TO A DEPTH OF 460mm)
- BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
- BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED ISLAND / BUILD OUT, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
- BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE ISLANDS (UP TO A DEPTH OF 500mm)
- EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
- BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
- BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
- BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
- BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
- BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
- BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW TACTILE PAVING (UP TO A DEPTH OF 100mm)
- EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE PAVING SLABS, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)



PROJECT
Fitzwilliam Cycle Route



CONSULTANT
AECOM
Adelphi Plaza
George's Street Upper
Dun Laoghaire Co.Dublin
Tel:+353(0)1 2383100 Fax:+353(0)1 2383199
www.aecom.com

- NOTES:**
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS. ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
 - ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 - EMPLOYER'S REPRESENTATIVE TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
 - DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 - ALL MEASUREMENTS AND COORDINATES TO BE CHECKED ON SITE.
 - REFER TO SPECIFICATION APPENDICES 6/1, 6/2, 6/3, 6/5, AND 6/7 FOR DETAILS.
 - DUE TO THE PRESENCE OF EXISTING SERVICES AND CELLARS, THE CONTRACTOR WILL BE REQUIRED TO EXCAVATE BY HAND-DIGGING.

ISSUE/REVISION

NO.	DATE	DESCRIPTION
A	JUNE 2022	ISSUED FOR TENDER
I/R	DATE	DESCRIPTION


KEY PLAN

PROJECT NUMBER
60578028
SHEET TITLE
EARTHWORKS
SHEET 2 OF 6
SHEET NUMBER
60578028_DD_SHT-600.2

IMPORTANT
SAFETY, HEALTH & ENVIRONMENTAL INFORMATION

HAZARD WARNING
PRESENCE OF BASEMENTS / CELLARS ON FITZWILLIAM PLACE / FITZWILLIAM SQUARE EAST / FITZWILLIAM STREET UPPER. RISK OF PENETRATING BASEMENT CEILINGS DURING TRENCH EXCAVATION WORKS TO LAY TRAFFIC DUCTING.

THIS IS NOT A COMPLETE LIST OF HAZARDS




This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved: BMcM
 Checked: AM
 Designer: SJ
 Project Management Initials:
 Last saved by: JONES(2022.06.30) Last Plotted: 2022.06.30
 Filename: \\EU.AECOM\NET.COM\MEMA\UK\IEDBL2\UBSPR-298627_FITZWILLIAM_CYCLE_ROUTE_DCC900_CAD_GS910_CAD20-SHEETS\DETAILED DESIGN\60578028_DD_600_A.DWG

LEGEND:

	BREAK OUT AND EXCAVATE EXISTING FOOTWAY / ISLAND FOR CONSTRUCTION OF NEW CARRIAGEWAY (UP TO A DEPTH OF 460mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED ISLAND / BUILD OUT, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE ISLANDS (UP TO A DEPTH OF 500mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW TACTILE PAVING (UP TO A DEPTH OF 100mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE PAVING SLABS, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)

ORDNANCE SURVEY IRELAND LICENCE NO AR0064220
 ©ORDNANCE SURVEY IRELAND / GOVERNMENT OF IRELAND



PROJECT
 Fitzwilliam Cycle Route



CONSULTANT
 AECOM
 Adelphi Plaza
 George's Street Upper
 Dun Laoghaire Co.Dublin
 Tel:+353(0)1 2383100 Fax:+353(0)1 2383199
 www.aecom.com

- NOTES:**
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS. ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
 - ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 - EMPLOYER'S REPRESENTATIVE TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
 - DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 - ALL MEASUREMENTS AND COORDINATES TO BE CHECKED ON SITE.
 - REFER TO SPECIFICATION APPENDICES 6/1, 6/2, 6/3, 6/5, AND 6/7 FOR DETAILS.
 - DUE TO THE PRESENCE OF EXISTING SERVICES AND CELLARS, THE CONTRACTOR WILL BE REQUIRED TO EXCAVATE BY HAND-DIGGING.

ISSUE/REVISION

I/R	DATE	DESCRIPTION
A	JUNE 2022	ISSUED FOR TENDER

KEY PLAN

PROJECT NUMBER
 60578028

SHEET TITLE
 EARTHWORKS
 SHEET 3 OF 6

SHEET NUMBER
 60578028_DD_SHT-600.3

⚠ IMPORTANT ⚠
SAFETY, HEALTH & ENVIRONMENTAL INFORMATION

HAZARD WARNING

PRESENCE OF BASEMENTS / CELLARS ON FITZWILLIAM PLACE / FITZWILLIAM SQUARE EAST / FITZWILLIAM STREET UPPER.. RISK OF PENETRATING BASEMENT CEILINGS DURING TRENCH EXCAVATION WORKS TO LAY TRAFFIC DUCTING.

THIS IS NOT A COMPLETE LIST OF HAZARDS




A EARTHWORKS
 600.3 Scale: 1:250

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

ISO A1 594mm x 841mm
 Approved: B.McM
 Checked: AM
 Designer: SJ
 Project Management Initials:
 Last saved by: JONES(2022.06.30) Last Plot: 2022.06.30
 Filename: \\EU.AECOM\NET.COM\EM\A\UK\IED\DL2\UBSPR-29827_FITZWILLIAM_CYCLE_ROUTE_DCC900_CAD_GS0910_CAD20-SHEETS\DETAILED DESIGN\60578028_DD_600_A.DWG

LEGEND:

	BREAK OUT AND EXCAVATE EXISTING FOOTWAY / ISLAND FOR CONSTRUCTION OF NEW CARRIAGEWAY / ISLAND FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY (UP TO A DEPTH OF 460mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED ISLAND / BUILD OUT, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE ISLANDS (UP TO A DEPTH OF 500mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW TACTILE PAVING (UP TO A DEPTH OF 100mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE PAVING SLABS, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)



ORDNANCE SURVEY IRELAND LICENCE NO AR0064220
 ©ORDNANCE SURVEY IRELAND / GOVERNMENT OF IRELAND



PROJECT
 Fitzwilliam Cycle Route



CONSULTANT
 AECOM
 Adelphi Plaza
 George's Street Upper
 Dun Laoghaire Co.Dublin
 Tel:+353(0)1 2383100 Fax:+353(0)1 2383199
 www.aecom.com

- NOTES:**
1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS. ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
 2. ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 3. EMPLOYER'S REPRESENTATIVE TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
 4. DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 5. ALL MEASUREMENTS AND COORDINATES TO BE CHECKED ON SITE.
 6. REFER TO SPECIFICATION APPENDICES 6/1, 6/2, 6/3, 6/5, AND 6/7 FOR DETAILS.
 7. DUE TO THE PRESENCE OF EXISTING SERVICES AND CELLARS, THE CONTRACTOR WILL BE REQUIRED TO EXCAVATE BY HAND-DIGGING.

ISSUE/REVISION

A/R	DATE	DESCRIPTION
A	JUNE 2022	ISSUED FOR TENDER
I/R		

KEY PLAN

PROJECT NUMBER
 60578028

SHEET TITLE
 EARTHWORKS
 SHEET 4 OF 6

SHEET NUMBER
 60578028_DD_SHT-600.4


! IMPORTANT !

SAFETY, HEALTH & ENVIRONMENTAL INFORMATION

HAZARD WARNING

PRESENCE OF BASEMENTS / CELLARS ON FITZWILLIAM PLACE / FITZWILLIAM SQUARE EAST / FITZWILLIAM STREET UPPER. RISK OF PENETRATING BASEMENT CEILING DURING TRENCH EXCAVATION WORKS TO LAY TRAFFIC DUCTING.

THIS IS NOT A COMPLETE LIST OF HAZARDS




A EARTHWORKS
 600.4 Scale: 1:250

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.

LEGEND:

	BREAK OUT AND EXCAVATE EXISTING FOOTWAY / ISLAND FOR CONSTRUCTION OF NEW CARRIAGEWAY (UP TO A DEPTH OF 460mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED ISLAND / BUILD OUT, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE ISLANDS (UP TO A DEPTH OF 500mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW TACTILE PAVING (UP TO A DEPTH OF 100mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE PAVING SLABS, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)




IMPORTANT
SAFETY, HEALTH & ENVIRONMENTAL INFORMATION

HAZARD WARNING

PRESENCE OF BASEMENTS / CELLARS ON FITZWILLIAM PLACE / FITZWILLIAM SQUARE EAST / FITZWILLIAM STREET UPPER. RISK OF PENETRATING BASEMENT CEILINGS DURING TRENCH EXCAVATION WORKS TO LAY TRAFFIC DUCTING.

THIS IS NOT A COMPLETE LIST OF HAZARDS



This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.



PROJECT
Fitzwilliam Cycle Route



CONSULTANT
AECOM
Adelphi Plaza
George's Street Upper
Dun Laoghaire Co.Dublin
Tel:+353(0)1 2383100 Fax:+353(0)1 2383199
www.aecom.com

- NOTES:**
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS. ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
 - ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 - EMPLOYER'S REPRESENTATIVE TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
 - DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 - ALL MEASUREMENTS AND COORDINATES TO BE CHECKED ON SITE.
 - REFER TO SPECIFICATION APPENDICES 6/1, 6/2, 6/3, 6/5, AND 6/7 FOR DETAILS.
 - DUE TO THE PRESENCE OF EXISTING SERVICES AND CELLARS, THE CONTRACTOR WILL BE REQUIRED TO EXCAVATE BY HAND-DIGGING.

ISSUE/REVISION

NO.	DATE	DESCRIPTION
A	JUNE 2022	ISSUED FOR TENDER
I/R	DATE	DESCRIPTION

KEY PLAN

PROJECT NUMBER
60578028

SHEET TITLE
EARTHWORKS
SHEET 5 OF 6

SHEET NUMBER
60578028_DD_SHT-600.5

LEGEND:

	BREAK OUT AND EXCAVATE EXISTING FOOTWAY / ISLAND FOR CONSTRUCTION OF NEW CARRIAGEWAY (UP TO A DEPTH OF 460mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED ISLAND / BUILD OUT, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE ISLANDS (UP TO A DEPTH OF 500mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE-PAVED FOOTWAY, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE PAVED FOOTWAY (UP TO A DEPTH OF 400mm)
	BREAK OUT / EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW GRANITE SETTS (UP TO A DEPTH OF 390mm)
	BREAK OUT AND EXCAVATE EXISTING CARRIAGEWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE FOOTWAY (UP TO A DEPTH OF 200mm)
	BREAK OUT AND EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW TACTILE PAVING (UP TO A DEPTH OF 100mm)
	EXCAVATE EXISTING FOOTWAY FOR CONSTRUCTION OF NEW CONCRETE PAVING SLABS, INCLUDING TACTILES (UP TO A DEPTH OF 440mm)



IMPORTANT
SAFETY, HEALTH & ENVIRONMENTAL INFORMATION

HAZARD WARNING

PRESENCE OF BASEMENTS / CELLARS ON FITZWILLIAM PLACE / FITZWILLIAM SQUARE EAST / FITZWILLIAM STREET UPPER. RISK OF PENETRATING BASEMENT CEILINGS DURING TRENCH EXCAVATION WORKS TO LAY TRAFFIC DUCTING.

THIS IS NOT A COMPLETE LIST OF HAZARDS

ORDNANCE SURVEY IRELAND LICENCE NO AR0064220
© ORDNANCE SURVEY IRELAND / GOVERNMENT OF IRELAND



AECOM

PROJECT
Fitzwilliam Cycle Route

CLIENT
Comhairle Cathrach
Bhaile Átha Cliath
Dublin City Council

NTA
Údarás Náisiúnta Iompair
National Transport Authority

Project Ireland 2040
Building Ireland's Future

CONSULTANT
AECOM
Adelphi Plaza
George's Street Upper
Dun Laoghaire Co.Dublin
Tel:+353(0)1 2383100 Fax:+353(0)1 2383199
www.aecom.com

- NOTES:**
- THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL OTHER RELEVANT ARCHITECTURAL AND ENGINEERING DRAWINGS. ANY DISCREPANCIES, ERRORS OR OMISSIONS TO BE BROUGHT TO THE ATTENTION OF THE DESIGNER.
 - ALL DIMENSIONS TO BE CHECKED BY THE CONTRACTOR ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 - EMPLOYER'S REPRESENTATIVE TO BE INFORMED BY THE CONTRACTOR OF ANY DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
 - DIMENSIONS OF ALL BOUNDARIES AND ADJOINING ROADS TO BE CHECKED ON SITE PRIOR TO COMMENCEMENT OF WORKS.
 - ALL MEASUREMENTS AND COORDINATES TO BE CHECKED ON SITE.
 - REFER TO SPECIFICATION APPENDICES 6/1, 6/2, 6/3, 6/5, AND 6/7 FOR DETAILS.
 - DUE TO THE PRESENCE OF EXISTING SERVICES AND CELLARS, THE CONTRACTOR WILL BE REQUIRED TO EXCAVATE BY HAND-DIGGING.

ISSUE/REVISION

NO.	DATE	DESCRIPTION
A	JUNE 2022	ISSUED FOR TENDER
I/R	DATE	DESCRIPTION

KEY PLAN

PROJECT NUMBER
60578028

SHEET TITLE
EARTHWORKS
SHEET 6 OF 6

SHEET NUMBER
60578028_DD_SHT-600.6

This drawing has been prepared for the use of AECOM's client. It may not be used, modified, reproduced or relied upon by third parties, except as agreed by AECOM or as required by law. AECOM accepts no responsibility, and denies any liability, whatsoever, to any party that uses or relies on this drawing without AECOM's express written consent. All measurements must be obtained from the stated dimensions.